

Timely Advise for Growers

Scott Monfort

Extension Peanut Agronomist

229-392-5457

smonfort@uga.edu


2022 Variety Update

- Seed Quality = Good
 - Good practice to know % germ
 - Take care of seed
 - 1st In = 1st Out
- Make sure to look in bag as you go
- Keep track of weather
- TSWV is still a problem
- Georgia-06G (80-85%) is still #1



Variety Update

- GA-12Y continues to increase a little each year
 - Remember to plant before May 10th (150-55) Day
 - Protect against Rhizoctonia Limb Rot
 - Best variety for TSWV and WM
- GA -16HO
 - Watch early leafspot
 - Some shedding of pods observed this year
- GA-18RU
 - Can see more TSVW if planted in April and no Thimet
- GA-20VHO
 - Over Management? Pod loss due to high moisture
- TIFNV-High OL – Nematode resistant variety
 - Some pod loss
- AUNPL 17 (new Auburn variety)
 - WM, TSWV, LS



What do I need In-Furrow

- Seed at 6-7 seed per ft of row on singles
- Seed at 6-8 seed per ft of row on twins
- Thimet before May 10, others may be okay after May 10th
- Fungicide seed treatment + extra IF if needed
- Inoculants


What I Do Not Need In-Furrow!!!!

- Fertilizer of any kind --- we are causing more seed loss
 - Research has shown 40% stand loss at greater than 1 gal/A
 - 1 gal and less has shown slowed emergence of 1-3 days
- We will be conducting more research in this area this year.



How to Ensure Good Stands

- Maintain your planters
 - Inoculants, insecticide, etc.
- Fertility and pH
- Start weed free and good seed bed
- Plant when conditions are good
 - Soil moisture
 - Soil temp – 68 degrees for 3 days
 - Do chase moisture



Questions & Thanks

Scott Monfort
Extension Peanut Agronomist
229-392-5457
smonfort@uga.edu



UNIVERSITY OF GEORGIA
EXTENSION